

ILE RPG/400 FORMATTED DUMP

```
Program Status Area:
Procedure Name . . . . . : ICONVTEST2
Program Name . . . . . : ICONVTEST2
  Library . . . . . : TEST
Module Name . . . . . : ICONVTEST2
Program Status . . . . . : 00000
Previous Status . . . . . : 00000
Statement in Error . . . . . : 00000000
RPG Routine . . . . . : *DETC
Number of Parameters . . . . . :
Message Type . . . . . :
Additional Message Info . . . . . :
Message Data . . . . . :

Status that caused RNX9001 . . . . . :
Last File Used . . . . . :
Last File Status . . . . . :
Last File Operation . . . . . :
Last File Routine . . . . . :
Last File Statement . . . . . :
Last File Record Name . . . . . :
Job Name . . . . . : TCPKAJS2
User Name . . . . . : MAXJEN
Job Number . . . . . : 611797
Date Entered System . . . . . : 11162010
  Century . . . . . : 20
Date Started . . . . . : *N/A*
Time Started . . . . . : *N/A*
Compile Date . . . . . : 111610
Compile Time . . . . . : 161218
Compiler Level . . . . . : 0001
Source File . . . . . : QRPGLSRC
  Library . . . . . : TEST
Member . . . . . : ICONVTEST2
```

```
Module Name. . . . . : ICONVTEST2
Optimization Level . . . . . : *NONE
```

H1 '0' H2 '0' H3 '0' H4 '0' H5 '0' H6 '0' H7 '0' H8 '0' H9 '0'

KA '0' KB '0' KC '0' KD '0' KE '0' KF '0' KG '0' KH '0' KI '0' KJ '0'

KV '0' KW '0' KX '0' KY '0'

L1 '0' L2 '0' L3 '0' L4 '0' L5 '0' L6 '0' L7 '0' L8 '0' L9 '0'

OA '0' OB '0' OC '0' OD '0' OE '0' OF '0' OG '0' OV '0'

U1 '0' U2 '0' U3 '0' U4 '0' U5 '0' U6 '0' U7 '0' U8 '0'

01 '0' 02 '0' 03 '0' 04 '0' 05 '0' 06 '0' 07 '0' 08 '0' 09 '0' 10 '0'

21 '0' 22 '0' 23 '0' 24 '0' 25 '0' 26 '0' 27 '0' 28 '0' 29 '0' 30 '0'

41 '0' 42 '0' 43 '0' 44 '0' 45 '0' 46 '0' 47 '0' 48 '0' 49 '0' 50 '0'

61 '0' 62 '0' 63 '0' 64 '0' 65 '0' 66 '0' 67 '0' 68 '0' 69 '0' 70 '0'

81 '0' 82 '0' 83 '0' 84 '0' 85 '0' 86 '0' 87 '0' 88 '0' 89 '0' 90 '0'

Internal Indicators:

[illegible]

ILE RPG/400 FORMATTED DUMP			
HTTP_URL_ENCODER	POINTER	SPP:*NULL	
PRETURNBUFFER	POINTER	SPP:*NULL	
RC	INT(10)	0	'00000000'X
RETURNBUFFER	CHAR(160)	NOT ADDRESSABLE	
RETURNBUFFERPTR	POINTER	SPP:*NULL	
SIZE	INT(10)	20	'00000014'X

* * * * * E N D O F R P G D U M P * * * * *