

SOURCE FILE ERIC/QRPGSRC
MEMBER WEB030

Table with columns: SEQNBR, Line number, Source code, and Date. Contains source code for WEB030 including parameters like Parm_List, Parm_Order, Parm_Keyin, Parm_Type, Parm_Charge, Parm_Error, and various options like /copy libhttp/qrpglesrc,httpapi_h.

SOURCE FILE ERIC/QRPGSRC
MEMBER WEB030

SEQNBR*	1	2	3	4	5	6	7	8	9	0
5400										03/25/13
5500	D	DS				INZ				03/25/13
5600	D	inkez	1	8						03/25/13
5700	D	intype	1	1						03/25/13
5800	D	indoc#	2	7	0					03/25/13
5900	D	inbr	8	8						03/25/13
6000										03/25/13
6100	D	UPS_USERID	C			'xxxxxxx'				12/17/14
6200	D	UPS_PASSWD	C			'xxxxxxxx'				12/17/14
6300	D	UPS_LICENSE	C			'xxxxxxxxxxxxxxxxxxxx'				12/17/14
6400										03/22/13
6500	D	FDX_KEY	C			'xxxxxxxxxxxxxxxxxxxx'				12/17/14
6600	D	FDX_PASSWD	C			'xxxxxxxxxxxxxxxxxxxxxxxxxxxx'				12/17/14
6700	D	FDX_ACCTNO	C			'xxxxxxxx'				12/17/14
6800	D	FDX_METER	C			'xxxxxxxx'				12/17/14
6900										03/28/13
7000	D	tot_pathu	C			'/RatingServiceSelectionResponse/Rat-				04/10/13
7100	D					edShipment/TotalCharges'				04/10/13
7200										04/10/13
7300	D	err_pathu	C			'/RatingServiceSelectionResponse/Res-				04/16/13
7400	D					ponse/Error'				04/16/13
7500										04/16/13
7600	D	tot_pathf	C			'/SOAP-ENV:Envelope/SOAP-ENV:Body/Ra-				03/28/13
7700	D					teReply/RateReplyDetails/RatedShipme-				03/28/13
7800	D					ntDetails/RatedPackages/PackageRateD-				03/28/13
7900	D					etail/NetCharge'				03/28/13
8000										03/28/13
8100	D	rc	s	10I	0					03/22/13
8200	D	postData	s	4800A		varying				03/22/13
8300	D	soap	s	32767A		varying				03/28/13
8400	D	resp	s	65535A		varying				03/28/13
8500										03/22/13
8600	D	tran_key	s	7	0	inz(0)				03/25/13
8700	D	result	s	5	0	inz(0)				04/18/13
8800										03/25/13
8900	D	Sym	S	1		DIM(4) CTDATA PERRCD(4)				03/28/13
9000	D	err_msg	s	100		inz(' ')				03/22/13
9100	D	x	s	5	0	inz(0)				03/22/13
9200	D	ss	s	5	0	inz(0)				03/28/13
9300	D	total_charges	s	10		inz(' ')				03/22/13
9400										03/25/13
9500	D	error_len	s	5	0	inz(0)				04/16/13
9600										04/16/13
9700	D	hard_error	s	1		inz(' ')				03/25/13
9800										03/25/13
9900	D	from_name	s	30		inz(' ')				03/25/13
10000	D	from_adr1	s	30		inz(' ')				03/25/13
10100	D	from_adr2	s	30		inz(' ')				03/25/13
10200	D	from_city	s	30		inz(' ')				03/25/13
10300	D	from_state	s	5		inz(' ')				03/25/13
10400	D	from_zip	s	15		inz(' ')				03/25/13
10500	D	to_name	s	30		inz(' ')				03/25/13
10600	D	to_adr1	s	30		inz(' ')				03/25/13

SOURCE FILE ERIC/QRPGSRC
MEMBER WEB030

```
SEQNBR*...+... 1 ...+... 2 ...+... 3 ...+... 4 ...+... 5 ...+... 6 ...+... 7 ...+... 8 ...+... 9 ...+... 0
16000      if hard_error = 'Y';
16100          parm_error = 'Branch record not found';
16200          eval *inlr = *on;
16300          return;
16400      endif;
16500
16600      exsr $get_toinfo;
16700
16800      if hard_error = 'Y';
16900          parm_error = 'Customer record not found';
17000          eval *inlr = *on;
17100          return;
17200      endif;
17300
17400      exsr $rmv_symbol;
17500
17600      select;
17700
17800          when Parm_Type = 'U' or
17900              Parm_Type = '1';
18000              exsr $ups_api;
18100
18200          when Parm_Type = 'F' or
18300              Parm_Type = '2';
18400              exsr $fedex_api;
18500
18600          other;
18700              exsr $ups_api;
18800
18900      ends1;
19000
19100      *inlr = *on;
19200
19300      //*****
19400      //*** $get_frominfo - Get Data to Populate From Information      ***
19500      //*****
19600      begsr $get_frominfo;
19700
19800          hard_error = 'N';
19900
20000          sxcomp = oecomp;
20100          sxnem = 'BR';
20200          sxrgn = oergn;
20300          sxcde = oebr;
20400
20500          chain sxkey sycdx;
20600
20700          if not %found(sycdx);
20800              hard_error = 'Y';
20900              leavesr;
21000          endif;
21100
21200          from_name = scbnam;
```

SOURCE FILE ERIC/QRPGSRC
MEMBER WEB030

```

SEQNBR*...+... 1 ...+... 2 ...+... 3 ...+... 4 ...+... 5 ...+... 6 ...+... 7 ...+... 8 ...+... 9 ...+... 0
21300      from_adr1 = scbad1;                                03/25/13
21400      from_adr2 = scbad2;                                03/25/13
21500      from_city = scbcty;                                03/25/13
21600      from_state = scbst;                                03/25/13
21700      from_zip = scbzip;                                  03/25/13
21800
21900      sxnem = 'BRPR';                                     03/25/13
22000
22100      chain sxkey syncdx;                                 03/25/13
22200
22300      if not %found(syncdx);                               03/25/13
22400          hard_error = 'Y';                               03/25/13
22500          leavesr;                                         03/25/13
22600      endif;                                             03/25/13
22700
22800      endsr;                                               03/25/13
22900      /*******
23000      /**** $get_toinfo - Get Data to Populate To Information      *** 03/25/13
23100      /*******
23200      begsr $get_toinfo;                                     03/25/13
23300
23400          hard_error = 'N';                                 03/25/13
23500
23600          if oesnam = '*SAME';                               03/25/13
23700              to_name = oecnam;                             03/25/13
23800              to_adr1 = oecad1;                             03/25/13
23900              to_adr2 = oecad2;                             03/25/13
24000              to_city = oecity;                             03/25/13
24100              to_state = oest;                               03/25/13
24200              to_zip = oezip;                                03/25/13
24300          else;                                             03/25/13
24400              to_name = oesnam;                               03/28/13
24500              to_adr1 = oesad1;                               03/28/13
24600              to_adr2 = oesad2;                               03/28/13
24700              to_city = oescty;                              03/28/13
24800              to_state = oesst;                              03/28/13
24900              to_zip = oeszip;                               03/28/13
25000          endif;                                           03/25/13
25100
25200      endsr;                                               03/25/13
25300      /*******
25400      /**** $rmv_symbol - Remove Special Symbols from Data      *** 03/28/13
25500      /*******
25600      begsr $rmv_symbol;                                     03/28/13
25700
25800          clear scan_res;                                    03/28/13
25900
26000          for ss = 1 to 4;                                   03/28/13
26100              dou scan_res = *zero;                           03/28/13
26200
26300              scan_res = %scan(sym(ss):from_name:1);          03/28/13
26400
26500

```

SOURCE FILE ERIC/QRPGSRC
MEMBER WEB030

```
SEQNBR*...+... 1 ...+... 2 ...+... 3 ...+... 4 ...+... 5 ...+... 6 ...+... 7 ...+... 8 ...+... 9 ...+... 0
26600          if scan_res > *zero;                                03/28/13
26700             %subst(from_name:scan_res:1) = *blanks;          03/28/13
26800             endif;                                           03/28/13
26900          enddo;                                              03/28/13
27000          dou scan_res = *zero;                                03/28/13
27100             scan_res = %scan(sym(ss):from_adr1:1);            03/28/13
27200             if scan_res > *zero;                                03/28/13
27300                 %subst(from_adr1:scan_res:1) = *blanks;        03/28/13
27400                 endif;                                         03/28/13
27500             enddo;                                              03/28/13
27600             dou scan_res = *zero;                                03/28/13
27700                 scan_res = %scan(sym(ss):from_adr2:1);          03/28/13
27800                 if scan_res > *zero;                                03/28/13
27900                     %subst(from_adr2:scan_res:1) = *blanks;    03/28/13
28000                     endif;                                       03/28/13
28100                 enddo;                                           03/28/13
28200                 dou scan_res = *zero;                                03/28/13
28300                     scan_res = %scan(sym(ss):from_adr2:1);      03/28/13
28400                     if scan_res > *zero;                                03/28/13
28500                         %subst(from_adr2:scan_res:1) = *blanks;  03/28/13
28600                         endif;                                       03/28/13
28700                     enddo;                                           03/28/13
28800                     dou scan_res = *zero;                                03/28/13
28900                         scan_res = %scan(sym(ss):from_city:1);    03/28/13
29000                         if scan_res > *zero;                                03/28/13
29100                             %subst(from_city:scan_res:1) = *blanks;  03/28/13
29200                             endif;                                       03/28/13
29300                         enddo;                                           03/28/13
29400                         dou scan_res = *zero;                                03/28/13
29500                             scan_res = %scan(sym(ss):from_state:1);  03/28/13
29600                             if scan_res > *zero;                                03/28/13
29700                                 %subst(from_state:scan_res:1) = *blanks;  03/28/13
29800                                 endif;                                       03/28/13
29900                             enddo;                                           03/28/13
30000                             dou scan_res = *zero;                                03/28/13
30100                                 scan_res = %scan(sym(ss):from_zip:1);    03/28/13
30200                                 if scan_res > *zero;                                03/28/13
30300                                     %subst(from_zip:scan_res:1) = *blanks;  03/28/13
30400                                     endif;                                       03/28/13
30500                                 enddo;                                           03/28/13
30600                                 dou scan_res = *zero;                                03/28/13
30700                                     scan_res = %scan(sym(ss):from_zip:1);    03/28/13
30800                                     if scan_res > *zero;                                03/28/13
30900                                         %subst(from_zip:scan_res:1) = *blanks;  03/28/13
31000                                         endif;                                       03/28/13
31100                                     enddo;                                           03/28/13
31200                                     dou scan_res = *zero;                                03/28/13
31300                                         scan_res = %scan(sym(ss):from_zip:1);    03/28/13
31400                                         if scan_res > *zero;                                03/28/13
31500                                             %subst(from_zip:scan_res:1) = *blanks;  03/28/13
31600                                             endif;                                       03/28/13
31700                                         enddo;                                           03/28/13
31800                                         dou scan_res = *zero;                                03/28/13
```


SOURCE FILE ERIC/QRPGSRC
MEMBER WEB030

```

SEQNBR*...+... 1 ...+... 2 ...+... 3 ...+... 4 ...+... 5 ...+... 6 ...+... 7 ...+... 8 ...+... 9 ...+... 0
42500      clear postdata;                                03/25/13
42600
42700      postdata =                                      03/25/13
42800          '<?xml version="1.0"?>'                    + 03/25/13
42900          '<AccessRequest>'                          + 03/25/13
43000              '<AccessLicenseNumber>'                + 03/25/13
43100                  UPS_LICENSE                       + 03/25/13
43200              '</AccessLicenseNumber>'                + 03/25/13
43300          '<UserId>'                                  + 03/25/13
43400              UPS_USERID                             + 03/25/13
43500          '</UserId>'                                  + 03/25/13
43600          '<Password>'                                + 03/25/13
43700              UPS_PASSWD                             + 03/25/13
43800          '</Password>'                              + 03/25/13
43900      '</AccessRequest>'                              + 03/25/13
44000      '<?xml version="1.0"?>'                    + 03/25/13
44100      '<RatingServiceSelectionRequest xml:lang="en-US">' + 03/25/13
44200          '<Request>'                                + 03/25/13
44300              '<TransactionReference>'                + 03/25/13
44400                  '<CustomerContext>Rating and Service</CustomerContext>' + 03/25/13
44500                      '<XpciVersion>1.0</XpciVersion>' + 03/25/13
44600              '</TransactionReference>'                + 03/25/13
44700                  '<RequestAction>Rate</RequestAction>' + 03/25/13
44800                  '<RequestOption>Rate</RequestOption>' + 03/25/13
44900          '</Request>'                                + 03/25/13
45000      '<Shipment>'                                    + 03/25/13
45100          '<Description>Rate Description</Description>' + 03/25/13
45200          '<Shipper>'                                  + 03/25/13
45300              '<CompanyName>'                        + 03/25/13
45400                  %TRIM(FROM_NAME)                   + 03/25/13
45500              '</CompanyName>'                        + 03/25/13
45600          '<Address>'                                  + 03/25/13
45700              '<AddressLine1>'                        + 03/25/13
45800                  %TRIM(FROM_ADR1)                   + 03/25/13
45900              '</AddressLine1>'                      + 03/25/13
46000              '<AddressLine2>'                        + 03/25/13
46100                  %TRIM(FROM_ADR2)                   + 03/25/13
46200              '</AddressLine2>'                      + 03/25/13
46300              '<City>'                                + 03/25/13
46400                  %TRIM(FROM_CITY)                   + 03/25/13
46500              '</City>'                              + 03/25/13
46600              '<StateProvinceCode>'                  + 03/25/13
46700                  %TRIM(FROM_STATE)                   + 03/25/13
46800              '</StateProvinceCode>'                 + 03/25/13
46900              '<PostalCode>'                        + 03/25/13
47000                  %TRIM(FROM_ZIP)                    + 03/25/13
47100              '</PostalCode>'                       + 03/25/13
47200              '<CountryCode>US</CountryCode>'       + 03/25/13
47300          '</Address>'                                + 03/25/13
47400      '</Shipper>'                                    + 03/25/13
47500      '<ShipTo>'                                       + 03/25/13
47600          '<CompanyName>'                             + 03/25/13
47700              %TRIM(TO_NAME)                          + 03/25/13

```


SOURCE FILE ERIC/QRPGSRC
MEMBER WEB030

```

SEQNBR*...+... 1 ...+... 2 ...+... 3 ...+... 4 ...+... 5 ...+... 6 ...+... 7 ...+... 8 ...+... 9 ...+... 0
58400      soap =                                03/28/13
58500      '<?xml version="1.0" encoding="iso-8859-1" standalone="no"?>' +          03/28/13
58600      '<soapenv:Envelope +                                03/28/13
58700      xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" +          03/28/13
58800      xmlns:v13="http://fedex.com/ws/rate/v13"> +                                03/28/13
58900      <soapenv:Body> +                                03/28/13
59000      <v13:RateRequest> +                                03/28/13
59100      <v13:WebAuthenticationDetail> +                            03/28/13
59200      <v13:UserCredential> +                                03/28/13
59300      <v13:Key>' +                                        03/28/13
59400      %TRIM(FDX_KEY) +                                    03/28/13
59500      '</v13:Key> +                                        03/28/13
59600      <v13:Password>' +                                    03/28/13
59700      %TRIM(FDX_PASSWD) +                                03/28/13
59800      '</v13:Password> +                                03/28/13
59900      </v13:UserCredential> +                            03/28/13
60000      </v13:WebAuthenticationDetail> +                    03/28/13
60100      <v13:ClientDetail> +                                03/28/13
60200      <v13:AccountNumber>' +                            03/28/13
60300      %TRIM(FDX_ACCTNO) +                                03/28/13
60400      '</v13:AccountNumber> +                            03/28/13
60500      <v13:MeterNumber>' +                                03/28/13
60600      %TRIM(FDX_METER) +                                  03/28/13
60700      '</v13:MeterNumber> +                                03/28/13
60800      </v13:ClientDetail> +                                03/28/13
60900      <v13:TransactionDetail> +                            03/28/13
61000      <v13:CustomerTransactionId> +                        03/28/13
61100      Rate A Package v13</v13:CustomerTransactionId> +        03/28/13
61200      </v13:TransactionDetail> +                            03/28/13
61300      <v13:Version> +                                    03/28/13
61400      <v13:ServiceId>crs</v13:ServiceId> +                03/28/13
61500      <v13:Major>13</v13:Major> +                        03/28/13
61600      <v13:Intermediate>0</v13:Intermediate> +            03/28/13
61700      <v13:Minor>0</v13:Minor> +                          03/28/13
61800      </v13:Version> +                                    03/28/13
61900      <v13:RequestedShipment> +                            03/28/13
62000      <v13:DropoffType>REGULAR_PICKUP</v13:DropoffType> +    03/28/13
62100      <v13:ServiceType>FEDEX_GROUND</v13:ServiceType> +    03/28/13
62200      <v13:Shipper> +                                    03/28/13
62300      <v13:Contact> +                                    03/28/13
62400      <v13:CompanyName>' +                                03/28/13
62500      %TRIM(FROM_NAME) +                                  03/28/13
62600      '</v13:CompanyName> +                                03/28/13
62700      </v13:Contact> +                                    03/28/13
62800      <v13:Address> +                                    03/28/13
62900      <v13:StreetLines>' +                                03/28/13
63000      %TRIM(FROM_ADR1) +                                  03/28/13
63100      '</v13:StreetLines> +                                03/28/13
63200      <v13:City>' +                                       03/28/13
63300      %TRIM(FROM_CITY) +                                  03/28/13
63400      '</v13:City> +                                       03/28/13
63500      <v13:StateOrProvinceCode>' +                        03/28/13
63600      %TRIM(FROM_STATE) +                                03/28/13

```

SOURCE FILE ERIC/QRPGSRC
MEMBER WEB030

```

SEQNBR*...+... 1 ...+... 2 ...+... 3 ...+... 4 ...+... 5 ...+... 6 ...+... 7 ...+... 8 ...+... 9 ...+... 0
63700      '</v13:StateOrProvinceCode> +                               03/28/13
63800      '<v13:PostalCode>' +                                       03/28/13
63900      '%TRIM(FROM_ZIP) +                                           03/28/13
64000      '</v13:PostalCode> +                                       03/28/13
64100      '<v13:CountryCode>US</v13:CountryCode> +                       03/28/13
64200      '</v13:Address> +                                           03/28/13
64300      '</v13:Shipper> +                                           03/28/13
64400      '<v13:Recipient> +                                           03/28/13
64500      '<v13:Contact> +                                           03/28/13
64600      '<v13:CompanyName>' +                                         03/28/13
64700      '%TRIM(TO_NAME) +                                           03/28/13
64800      '</v13:CompanyName> +                                         03/28/13
64900      '</v13:Contact> +                                           03/28/13
65000      '<v13:Address> +                                           03/28/13
65100      '<v13:StreetLines>' +                                         03/28/13
65200      '%TRIM(TO_ADR1) +                                           03/28/13
65300      '</v13:StreetLines> +                                         03/28/13
65400      '<v13:City>' +                                               03/28/13
65500      '%TRIM(TO_CITY) +                                           03/28/13
65600      '</v13:City> +                                               03/28/13
65700      '<v13:StateOrProvinceCode>' +                                   03/28/13
65800      '%TRIM(TO_STATE) +                                           03/28/13
65900      '</v13:StateOrProvinceCode> +                                   03/28/13
66000      '<v13:PostalCode>' +                                         03/28/13
66100      '%TRIM(TO_ZIP) +                                           03/28/13
66200      '</v13:PostalCode> +                                         03/28/13
66300      '<v13:CountryCode>US</v13:CountryCode> +                       03/28/13
66400      '</v13:Address> +                                           03/28/13
66500      '</v13:Recipient> +                                           03/28/13
66600      '<v13:PackageCount>1</v13:PackageCount> +                   03/28/13
66700      '<v13:RequestedPackageLineItems> +                             03/28/13
66800      '<v13:SequenceNumber>1</v13:SequenceNumber> +               03/28/13
66900      '<v13:GroupNumber>1</v13:GroupNumber> +                     03/28/13
67000      '<v13:GroupPackageCount>1</v13:GroupPackageCount> +         03/28/13
67100      '<v13:Weight> +                                               03/28/13
67200      '<v13:Units>LB</v13:Units> +                                   03/28/13
67300      '<v13:Value>12.0</v13:Value> +                               03/28/13
67400      '</v13:Weight> +                                           03/28/13
67500      '</v13:RequestedPackageLineItems> +                           03/28/13
67600      '</v13:RequestedShipment> +                                   03/28/13
67700      '</v13:RateRequest> +                                         03/28/13
67800      '</soapenv:Body> +                                           03/28/13
67900      '</soapenv:Envelope>';                                       03/28/13
68000
68100      endsr;                                                         03/28/13
68200      //*****                                                         03/25/13
68300      /end-free                                                       03/25/13
68400      *****                                                         03/28/13
68500      P StartOfElement B                                           03/25/13
68600      D StartOfElement PI                                         03/25/13
68700      D UserData * value                                           03/25/13
68800      D depth 10I 0 value                                         03/25/13
68900      D name 1024A varying const                                   03/25/13

```


SOURCE FILE ERIC/QRPGSRC
MEMBER WEB030

```

SEQNBR*...+... 1 ...+... 2 ...+... 3 ...+... 4 ...+... 5 ...+... 6 ...+... 7 ...+... 8 ...+... 9 ...+... 0
74300      if path = tot_pathu and name = 'MonetaryValue';                                03/28/13
74400          total_charges = value;                                                    03/22/13
74500      endif;                                                                        03/22/13
74600
74700      /end-free                                                                      03/22/13
74800      P                                     E                                        03/28/13
74900      *****
75000      P ParseXML                            B                                        03/28/13
75100      D ParseXML                            PI                                       03/28/13
75200      D      save                          *      value                            03/28/13
75300      D      depth                        10I 0  value                            03/28/13
75400      D      name                         1024A  varying const                    03/28/13
75500      D      path                         24576A  varying const                    03/28/13
75600      D      value                        65535A  varying const                    03/28/13
75700      D      attrs                        *      dim(32767)                        03/28/13
75800      D                                     const options(*varsize)                03/28/13
75900      /free                                                                          03/28/13
76000
76100      if path = tot_pathf and name = 'Amount';                                        03/28/13
76200          total_charges = value;                                                    03/28/13
76300      endif;                                                                        03/28/13
76400
76500      /end-free                                                                      03/28/13
76600      P                                     E                                        03/28/13
76700      *****
76800      **CTDATA Sym                                                                    03/28/13
76900      +&*%                                                                            03/28/13

```

* * * * E N D O F S O U R C E * * * *